



**Kirsch** ELEGANCE DEFINED **RIPPLEFOLD®**  
Architrack 93001



Our Choice for corded Ripplefold® tracks

- Sleek white aluminum track
- Easy to instal two piece carriers
- Multiple fullness
- Properly designed for both center split and one way draws
- Rated for 2 lbs per foot of drapery
- Made to measure sets available



**K 93001-12-025** 12'  
**K 93001-16-025** 16'  
Aluminum Track - White




**K 93092-025**  
Heavy Duty End Pulley Left



**K 93091-025**  
Heavy Duty End Pulley Right



**K 93109-061**  
Projection Plate, attaches to end pulley to create returns.  
Additional Snap spacing 1 1/2"



**K 93103-025**  
Universal One Way Draw Pulley End



**K 93105-025**  
Left Hand Butt Master  
Additional Snap Spacing 1"



**K 93104-025**  
Right Hand Butt Master  
Additional Snap Spacing 1"



**K 93107-025**  
Left Hand Overlap Master  
Additional Snap Spacing 2 1/2"



**K 93106-025**  
Right Hand Overlap Master  
Additional Snap Spacing 2 1/2"

# Architrack 93001



**K 93121-025**  
Snap Tab Carrier  
Use with slide shoe  
(individual or joined)



**K 93121-025**  
Individual Slide Shoe  
(requires snap tab carrier)



Joined Slide Shoes  
(requires snap tab carriers)

**K 93140-025** 1 7/8" spacing 120% fullness (2.2x)  
**K 93141-025** 2 1/8" spacing 100% fullness (2x)  
**K 93142-025** 2 3/8" spacing 80% fullness (1.8x)  
**K 93143-025** 2 5/8" spacing 60% fullness (1.6x)



**K 92145-1-052**  
Ripplefold snap tape  
4 1/4" snap spacing




**K 92125-061**  
Stud



**K 92126-061**  
Post



**K 93139-025**  
Wall Bracket Clearance 2-3"  
Return 3.5-4.5"



**K 51138-025**  
Bracket Cover



**K 93138-025**  
Ceiling Bracket



**K 94125-025 White**  
**K 94125-090 Aluminum**  
 Heavy Duty L Bracket  
 use with 93138 for double  
 track treatments

Recommended bracket spacing:  
 Two brackets each end of track 24" apart, 48" apart over remainder of track.

## Generic Parts



**H 4605**  
Cord Tension Pulley



**H 6038**  
#3 1/2, 7/64"  
Nylon braid, Fiberglass core  
Traverse Cord 100 Yard Roll



**H 6037**  
#3 1/2, 7/64"  
Nylon braid, Fiberglass core  
Traverse Cord 1000 Yard Roll




**s 7560**  
Press and Snap Tool  
**S 7560-16**  
Die set for Baby Dot Snaps

## One Way Draw Butt Masters

# of Spaces	# of Carriers	Coverage - Track Width (inches)				Fabric Width Hemmed (Inches) 2.125" return	Fabric Width Hemmed (Inches) 3.5" return	Aprox Stack Back (Inches)
		120% Fullness 2.2x 93140 carrier 1.875" spacing	100% Fullness 2x 93141 carrier 2.125" spacing	80% Fullness 1.8x 93142 carrier 2.375" spacing	60% Fullness 1.6x 93143 carrier 2.625" spacing			
1	2	1.875	2.125	2.375	2.625	8.5	9.875	3
3	4	5.625	6.375	7.125	7.875	17	18.375	4
5	6	9.375	10.625	11.875	13.125	25.5	26.875	5
7	8	13.125	14.875	16.625	18.375	34	35.375	6
9	10	16.875	19.125	21.375	23.625	42.5	43.875	7
11	12	20.625	23.375	26.125	28.875	51	52.375	9
13	14	24.375	27.625	30.875	34.125	59.5	60.875	10
15	16	28.125	31.875	35.625	39.375	68	69.375	11
17	18	31.875	36.125	40.375	44.625	76.5	77.875	12
19	20	35.625	40.375	45.125	49.875	85	86.375	13
21	22	39.375	44.625	49.875	55.125	93.5	94.875	14
23	24	43.125	48.875	54.625	60.375	102	103.375	15
25	26	46.875	53.125	59.375	65.625	110.5	111.875	16
27	28	50.625	57.375	64.125	70.875	119	120.375	17
29	30	54.375	61.625	68.875	76.125	127.5	128.875	19
31	32	58.125	65.875	73.625	81.375	136	137.375	20
33	34	61.875	70.125	78.375	86.625	144.5	145.875	21
35	36	65.625	74.375	83.125	91.875	153	154.375	22
37	38	69.375	78.625	87.875	97.125	161.5	162.875	23
39	40	73.125	82.875	92.625	102.375	170	171.375	24
41	42	76.875	87.125	97.375	107.625	178.5	179.875	25
43	44	80.625	91.375	102.125	112.875	187	188.375	26
45	46	84.375	95.625	106.875	118.125	195.5	196.875	27
47	48	88.125	99.875	111.625	123.375	204	205.375	29
49	50	91.875	104.125	116.375	128.625	212.5	213.875	30
51	52	95.625	108.375	121.125	133.875	221	222.375	31
53	54	99.375	112.625	125.875	139.125	229.5	230.875	32
55	56	103.125	116.875	130.625	144.375	238	239.375	33
57	58	106.875	121.125	135.375	149.625	246.5	247.875	34
59	60	110.625	125.375	140.125	154.875	255	256.375	35
61	62	114.375	129.625	144.875	160.125	263.5	264.875	36
63	64	118.125	133.875	149.625	165.375	272	273.375	37
65	66	121.875	138.125	154.375	170.625	280.5	281.875	39
67	68	125.625	142.375	159.125	175.875	289	290.375	40
69	70	129.375	146.625	163.875	181.125	297.5	298.875	41
71	72	133.125	150.875	168.625	186.375	306	307.375	42
73	74	136.875	155.125	173.375	191.625	314.5	315.875	43
75	76	140.625	159.375	178.125	196.875	323	324.375	44
77	78	144.375	163.625	182.875		331.5	332.875	45
79	80	148.125	167.875	187.625		340	341.375	46
81	82	151.875	172.125	192.375		348.5	349.875	47
83	84	155.625	176.375	197.125		357	358.375	49
85	86	159.375	180.625			365.5	366.875	50
87	88	163.125	184.875			374	375.375	51
89	90	166.875	189.125			382.5	383.875	52
91	92	170.625	193.375			391	392.375	53
93	94	174.375	197.625			399.5	400.875	54
95	96	178.125				408	409.375	55
97	98	181.875				416.5	417.875	56
99	100	185.625				425	426.375	57
101	102	189.375				433.5	434.875	59
103	104	193.125				442	443.375	60
105	106	196.875				450.5	451.875	61

Center Split Draw Butt Masters




# of Spaces	# of Carriers	Coverage - Total Track Width (inches)				Fabric Width Hemmed <b>per side</b> 2 1/8" return	Fabric Width Hemmed <b>per side</b> 3 1/2" return	Aprox Stack Back per side
		120% Fullness 2.2x 93140 carrier 1.875" spacing	100% Fullness 2x 93141 carrier 2.125" spacing	80% Fullness 1.8x 93142 carrier 2.375" spacing	60% Fullness 1.6x 93143 carrier 2.625" spacing			
2	4	3.75	4.25	4.75	5.25	8.5	9.875	3
6	8	11.25	12.75	14.25	15.75	17	18.375	4
10	12	18.75	21.25	23.75	26.25	25.5	26.875	5
14	16	26.25	29.75	33.25	36.75	34	35.375	6
18	20	33.75	38.25	42.75	47.25	42.5	43.875	7
22	24	41.25	46.75	52.25	57.75	51	52.375	9
26	28	48.75	55.25	61.75	68.25	59.5	60.875	10
30	32	56.25	63.75	71.25	78.75	68	69.375	11
34	36	63.75	72.25	80.75	89.25	76.5	77.875	12
38	40	71.25	80.75	90.25	99.75	85	86.375	13
42	44	78.75	89.25	99.75	110.25	93.5	94.875	14
46	48	86.25	97.75	109.25	120.75	102	103.375	15
50	52	93.75	106.25	118.75	131.25	110.5	111.875	16
54	56	101.25	114.75	128.25	141.75	119	120.375	17
58	60	108.75	123.25	137.75	152.25	127.5	128.875	19
62	64	116.25	131.75	147.25	162.75	136	137.375	20
66	68	123.75	140.25	156.75	173.25	144.5	145.875	21
70	72	131.25	148.75	166.25	183.75	153	154.375	22
74	76	138.75	157.25	175.75	194.25	161.5	162.875	23
78	80	146.25	165.75	185.25		170	171.375	24
82	84	153.75	174.25	194.75		178.5	179.875	25
86	88	161.25	182.75			187	188.375	26
90	92	168.75	191.25			195.5	196.875	27
94	96	176.25	199.75			204	205.375	29
98	100	183.75				212.5	213.875	30
102	104	191.25				221	222.375	31
106	108	198.75				229.5	230.875	32

## One Way Draw Overlap Masters

# of Spaces	# of Carriers	Coverage - Track Width (inches)				Fabric Width Hemmed (Inches) 2.125" return	Fabric Width Hemmed (Inches) 3.5" return	Aprox Stack Back (Inches)
		120% Fullness 2.2x 93140 carrier 1.875" spacing	100% Fullness 2x 93141 carrier 2.125" spacing	80% Fullness 1.8x 93142 carrier 2.375" spacing	60% Fullness 1.6x 93143 carrier 2.625" spacing			
1	2	4.375	4.625	4.875	5.125	9.375	10.75	6
3	4	8.125	8.875	9.625	10.375	17.875	19.25	7
5	6	11.875	13.125	14.375	15.625	26.375	27.75	8
7	8	15.625	17.375	19.125	20.875	34.875	36.25	9
9	10	19.375	21.625	23.875	26.125	43.375	44.75	10
11	12	23.125	25.875	28.625	31.375	51.875	53.25	11
13	14	26.875	30.125	33.375	36.625	60.375	61.75	12
15	16	30.625	34.375	38.125	41.875	68.875	70.25	13
17	18	34.375	38.625	42.875	47.125	77.375	78.75	14
19	20	38.125	42.875	47.625	52.375	85.875	87.25	15
21	22	41.875	47.125	52.375	57.625	94.375	95.75	17
23	24	45.625	51.375	57.125	62.875	102.875	104.25	18
25	26	49.375	55.625	61.875	68.125	111.375	112.75	19
27	28	53.125	59.875	66.625	73.375	119.875	121.25	20
29	30	56.875	64.125	71.375	78.625	128.375	129.75	21
31	32	60.625	68.375	76.125	83.875	136.875	138.25	22
33	34	64.375	72.625	80.875	89.125	145.375	146.75	23
35	36	68.125	76.875	85.625	94.375	153.875	155.25	24
37	38	71.875	81.125	90.375	99.625	162.375	163.75	25
39	40	75.625	85.375	95.125	104.875	170.875	172.25	27
41	42	79.375	89.625	99.875	110.125	179.375	180.75	28
43	44	83.125	93.875	104.625	115.375	187.875	189.25	29
45	46	86.875	98.125	109.375	120.625	196.375	197.75	30
47	48	90.625	102.375	114.125	125.875	204.875	206.25	31
49	50	94.375	106.625	118.875	131.125	213.375	214.75	32
51	52	98.125	110.875	123.625	136.375	221.875	223.25	33
53	54	101.875	115.125	128.375	141.625	230.375	231.75	34
55	56	105.625	119.375	133.125	146.875	238.875	240.25	35
57	58	109.375	123.625	137.875	152.125	247.375	248.75	37
59	60	113.125	127.875	142.625	157.375	255.875	257.25	38
61	62	116.875	132.125	147.375	162.625	264.375	265.75	39
63	64	120.625	136.375	152.125	167.875	272.875	274.25	40
65	66	124.375	140.625	156.875	173.125	281.375	282.75	41
67	68	128.125	144.875	161.625	178.375	289.875	291.25	42
69	70	131.875	149.125	166.375	183.625	298.375	299.75	43
71	72	135.625	153.375	171.125	188.875	306.875	308.25	44
73	74	139.375	157.625	175.875	194.125	315.375	316.75	45
75	76	143.125	161.875	180.625		323.875	325.25	47
77	78	146.875	166.125	185.375		332.375	333.75	48
79	80	150.625	170.375	190.125		340.875	342.25	49
81	82	154.375	174.625	194.875		349.375	350.75	50
83	84	158.125	178.875			357.875	359.25	51
85	86	161.875	183.125			366.375	367.75	52
87	88	165.625	187.375			374.875	376.25	53
89	90	169.375	191.625			383.375	384.75	54
91	92	173.125	195.875			391.875	393.25	55
93	94	176.875				400.375	401.75	57
95	96	180.625				408.875	410.25	58
97	98	184.375				417.375	418.75	59
99	100	188.125				425.875	427.25	60
101	102	191.875				434.375	435.75	61
103	104	195.625				442.875	444.25	62

Center Split Draw    Overlap Masters



# of Spaces	# of Carriers	Coverage - Total Track Width (inches)				Fabric Width Hemmed per side 2.125" return	Fabric Width Hemmed per side 3.5" return	Aprox Stack Back per side
		120% Fullness 2.2x 93140 carrier 1.875" spacing	100% Fullness 2x 93141 carrier 2.125" spacing	80% Fullness 1.8x 93142 carrier 2.375" spacing	60% Fullness 1.6x 93143 carrier 2.625" spacing			
2	4	6.25	6.75	7.25	7.75	9.375	10.75	6
6	8	13.75	15.25	16.75	18.25	17.875	19.25	7
10	12	21.25	23.75	26.25	28.75	26.375	27.75	8
14	16	28.75	32.25	35.75	39.25	34.875	36.25	9
18	20	36.25	40.75	45.25	49.75	43.375	44.75	10
22	24	43.75	49.25	54.75	60.25	51.875	53.25	11
26	28	51.25	57.75	64.25	70.75	60.375	61.75	12
30	32	58.75	66.25	73.75	81.25	68.875	70.25	13
34	36	66.25	74.75	83.25	91.75	77.375	78.75	14
38	40	73.75	83.25	92.75	102.25	85.875	87.25	15
42	44	81.25	91.75	102.25	112.75	94.375	95.75	17
46	48	88.75	100.25	111.75	123.25	102.875	104.25	18
50	52	96.25	108.75	121.25	133.75	111.375	112.75	19
54	56	103.75	117.25	130.75	144.25	119.875	121.25	20
58	60	111.25	125.75	140.25	154.75	128.375	129.75	21
62	64	118.75	134.25	149.75	165.25	136.875	138.25	22
66	68	126.25	142.75	159.25	175.75	145.375	146.75	23
70	72	133.75	151.25	168.75	186.25	153.875	155.25	24
74	76	141.25	159.75	178.25	196.75	162.375	163.75	25
78	80	148.75	168.25	187.75		170.875	172.25	27
82	84	156.25	176.75	197.25		179.375	180.75	28
86	88	163.75	185.25			187.875	189.25	29
90	92	171.25	193.75			196.375	197.75	30
94	96	178.75				204.875	206.25	31
98	100	186.25				213.375	214.75	32
102	104	193.75				221.875	223.25	33

## Head Office

George N. Jackson Limited  
1139 McDermot Avenue  
Winnipeg, Manitoba, Canada  
R3E 0V2

Phone 204-786-3821  
Fax 204-788-2456  
Email [info@jackson.ca](mailto:info@jackson.ca)

---

## Calgary Sales and Distribution Center

George N. Jackson Limited  
2120-39th Avenue NE  
Calgary, Alberta, Canada  
T2E 6P7

Phone 403-291-2004  
Fax 403-291-1595  
Email [calgary@jackson.ca](mailto:calgary@jackson.ca)

## Edmonton Sales and Distribution Center

George N. Jackson Limited  
12110-142nd Street  
Edmonton, Alberta, Canada  
T5L 2G8

Phone 780-452-9261  
Fax 780-451-0308  
Email [edmonton@jackson.ca](mailto:edmonton@jackson.ca)

## Saskatoon Sales and Distribution Center

George N. Jackson Limited  
802-56th Street E.  
Saskatoon, Saskatchewan, Canada  
S7K 5Y8

Phone 306-934-8090  
Fax 306-931-4954  
Email [saskatoon@jackson.ca](mailto:saskatoon@jackson.ca)

## Toronto Sales and Distribution Center

George N. Jackson Limited  
3236 Wharton Way  
Mississauga, Ontario, Canada  
L4X 2C1

Phone 905-238-3369  
Fax 905-238-4859  
Email [toronto@jackson.ca](mailto:toronto@jackson.ca)

## Vancouver Sales and Distribution Center

George N. Jackson Limited  
600 Derwent Way  
Delta, British Columbia  
V3M 5P8

Phone 604-522-3600  
Fax 604-522-4471  
Email [vancouver@jackson.ca](mailto:vancouver@jackson.ca)

## Winnipeg Sales and Distribution Center

George N. Jackson Limited  
1139 McDermot Avenue  
Winnipeg, Manitoba, Canada  
R3E 0V2

Phone 204-786-3821  
Fax 204-786-2456  
Email [info@jackson.ca](mailto:info@jackson.ca)